

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
26 April 2001 (26.04.2001)

PCT

(10) International Publication Number
WO 01/28587 A2

(51) International Patent Classification⁷: A61K 41/00, 9/50

(US). LI, Yuhua [CN/US]; 901 Shavano Peak Drive, Superior, CO 80027 (US).

(21) International Application Number: PCT/US00/28615

(22) International Filing Date: 13 October 2000 (13.10.2000)

(74) Agent: GARDNER, Diane, L.; Fish & Richardson P.C., Suite 500, 4350 La Jolla Village Drive, San Diego, CA 92122 (US).

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
60/160,293 18 October 1999 (18.10.1999) US

(81) Designated States (*national*): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.

(63) Related by continuation (CON) or continuation-in-part (CIP) to earlier application:
US 60/160,293 (CIP)
Filed on 18 October 1999 (18.10.1999)

(84) Designated States (*regional*): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

(71) Applicant (*for all designated States except US*): FERX INCORPORATED [US/US]; Suite 250, 4330 La Jolla Village Drive, San Diego, CA 92122 (US).

Published:

— Without international search report and to be republished upon receipt of that report.

(72) Inventors; and

(75) Inventors/Applicants (*for US only*): RUDGE, Scott, Raymond [US/US]; 656 Furman Way, Boulder, CO 80303 (US). KURTZ, Terri, Lynn [US/US]; 2695 Juniper Avenue, Boulder, CO 80304 (US). TAPOLSKY, Gilles, Hugues [FR/US]; 2460 Vassar Drive, Boulder, CO 80305

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: MAGNETIC TARGETED CARRIER COMPOSED OF IRON AND POROUS MATERIALS FOR THE TARGETED DELIVERY OF BIOLOGICALLY ACTIVE AGENTS

(57) Abstract: The invention relates to magnetically responsive compositions comprising iron-ceramic particles used to carry substances for *in vivo* medical diagnosis and/or treatment. The particles are formed by joint deformation of iron and ceramic powders. Diagnostic or therapeutic substances may be adsorbed thereon. The particles may be produced by mechanical milling of a mixture of iron and ceramic powders.

WO 01/28587 A2

MAGNETIC TARGETED CARRIER COMPOSED OF IRON AND POROUS MATERIALS FOR THE TARGETED DELIVERY OF BIOLOGICALLY ACTIVE AGENTS

CROSS REFERENCE TO RELATED APPLICATIONS

This application is the United States national phase of International Patent Application No. PCT/US00/_____, filed October 13, 2000, which claims priority to United States Provisional Application Serial No. 60/160, 293, filed October 18, 1999.

INTRODUCTION

This invention relates to compositions, methods of manufacture and methods for delivery of biocompatible particles to a selected location in a body and, more particularly, relates to particles capable of carrying biologically active compounds and which provide for targeted magnetic transport of the particles and their maintenance in a predetermined place as a localized therapeutic treatment for disease, diagnostic aid, or bifunctional composition capable of acting as both a diagnostic and therapeutic agent.

The site-specific delivery of biologically active agents would enable enhancement of therapeutic activity of chemotherapeutics while minimizing systemic side effects. Magnetic carrier compositions for treating various disorders have been previously suggested and utilized, and include compositions which are guided or controlled in a body in response to an externally applied magnetic field. (See Lieberman *et al.*, U.S. Patent 4,849,209; Schroder *et al.*, U.S. Patent 4,501,726; Chang, U.S. Patent 4,652,257; and Mirell, U.S. Patent 4,690,130).

One such known composition, deliverable by way of intravascular injection, includes microspheres made of a ferromagnetic component covered with a biocompatible polymer (albumin, gelatin, and polysaccharides) which also contains a drug (Driscoll, C.F. *et al.*, *Prog. Am. Assoc. Cancer Res.*, 1980, p. 261).

It is possible to produce albumin microspheres up to 3.0 μm in size containing a magnetic material (magnetite Fe_3O_4) and the anti-tumoral antibiotic doxorubicin (Widder, K. *et al.*, *J. Pharm. Sci.*, 68:79-82, 1979). Such microspheres are produced through thermal and/or chemical denaturation of albumin in an emulsion (water-in-oil), with the disperse

phase containing a magnetite suspension in a medicinal solution. A similar technique has been used to produce magnetically controlled, or guided, microcapsules covered with ethylcellulose containing the antibiotic mitomycin-C (Fujimoto, S. *et al.*, *Cancer*, 56: 2404-2410, 1985).

5 Magnetically controlled liposomes, 200 nm to 800 nm in size, capable of carrying preparations that can dissolve atherosclerotic formations are also known. This method is based upon the ability of phospholipids to create closed membrane structures in the presence of water (Gregoriadis G., Ryman B.E., *Biochem. J.*, 124:58, 1971).

10 Such previously known compositions have not always proven practical and/or effective. Often, there is ineffective drug concentration delivered to the targeted site. Many of the compositions lack adequate transport capacity, exhibit weak magnetic susceptibility, and/or require extremely high flux density magnetic fields for their control. In some cases, there is no real localization of the particles enabling a precise local therapy. Other shortcomings include non-specific binding and toxicity to untargeted organs for compositions
15 incorporating antibodies and peptides, and drug diffusion outside of the desired site for intratumoral injection based technologies. Some compositions are difficult to manufacture or prepare consistently, sterilize, and store without changing their designated properties.

 Thus, there remains a need for an effective biocompatible composition that is capable of being transported magnetically and that is relatively easy to manufacture, store and use.

20 One suggested composition comprises ferroc carbon particles for use as magnetically susceptible material for magnetically controlled compositions. These particles have a major dimension (*i.e.*, largest diameter) of about 0.2 μm to about 5.0 μm (and preferably from 0.5 μm to 5.0 μm) and contain from about 1.0% to about 95.0% (by mass) of carbon, with the carbon strongly connected to iron. The particles are obtained by jointly deforming (*i.e.*,
25 milling) a mixture of iron and carbon powders. See U.S. Patents 5,549,915; 5,651,989; 5,705,195 and U.S. Patent Application Serial Nos. 09/003,286, and 09/226,818, which are incorporated herein by reference.

 Previous applications of this technology arose from a desire to make alloys that were not achievable through smelting processes. Not all conceivable alloys can be made by
30 smelting, as the solubility of one molten metal in another limits the concentrations that the

mixtures can achieve. Milled ferroc carbon particles were derived as an adaptation of a technique for making alloys. The milling technique is fine tuned to produce a durable connection between the two materials without intimately mixing them as an alloy, which would result in reduction or elimination of both the magnetic moment and/or the drug carrying capacity. The idea of combining iron and carbon by milling arose from their natural mixability, as in the smelting process for forming alloys.

SUMMARY OF THE INVENTION

It has now been found that iron-ceramic particles can be produced by the milling method. This is surprising because alloys using these materials have not previously been demonstrated. Thus, it was not thought that a durable interface between the iron and the ceramic material could be formed.

Iron-ceramic composite particles show great versatility to bind to various drugs that adsorb at the particle surface for easy incorporation of the active agent. Additionally, iron-ceramic particles utilize metallic iron with a higher magnetic susceptibility than iron oxides, thereby facilitating and expediting mobility to the treatment site. Furthermore, the biocompatibility properties of ceramics are well known.

Biocompatible and biodegradable ceramic materials, based on hydroxyapatite and other calcium phosphate derivative materials have been used as bone replacement material in dental and skeletal procedures. However, the concept of magnetically targeting a ceramic material used as a carrier is completely novel. This invention provides a magnetically responsive composition that carries biologically active substances. Generally, iron-ceramic composite particles can be used to target the delivery of a number of biologically active agents, diagnostics, or bifunctional compositions. Methods of production and use thereof are also provided.

The aim of this invention is to improve some parameters of magnetically controlled compositions used for the targeted transport of a biologically active substance, including: enabling use of natural bone constituents in the carrier particle, expanding the categories of therapeutics and diagnostics for which this technology can be used, increasing relative absorption capacity and magnetic susceptibility by, for example, providing a large number of

ionic groups that enable binding of compounds by ionic interactions, improving biocompatibility and biodegradability, intensifying diagnostic and therapeutic effect, simplifying the technology of manufacturing the magnetically controlled composition, and ensuring its guaranteed long-term storage capabilities without changing the desired characteristics.

This is achieved by using suitable composite, iron-ceramic particles, as a magnetically susceptible material for a magnetically controlled composition. The particles are disk and spherically shaped, approximately 0.1 to 10.0 μm in diameter, and contain 1.0% to 95.0% ceramic (or a derivatized ceramic) and 5.0% to 99.0% iron, by iron. They are obtained by jointly deforming (*i.e.*, milling) a mixture of iron and ceramic powders. Adsorption occurs on the surface, or modified surface, of the particle so the drug is readily available and capable of incorporation at the treatment site.

The powders are combined in a planetary ball, or attrition mill with a solvent (*e.g.* ethanol). The resulting composite powder is then sieved or magnetically separated to obtain the desired fraction of product, and correspondingly, the desired magnetic susceptibility. The biologically active agent or diagnostic aid is adsorbed to or deposited on to the composite and administered to the patient in a suspension of the composite in a sterile diluent.

The methods of use include methods for localized *in vivo* diagnosis or treatment of disease providing a magnetically responsive iron-ceramic carrier having adsorbed thereon a biologically active substance selected for its efficacy in diagnosing or treating the disease, and injecting the carrier into the body of a patient. For example, the carrier is injected by inserting delivery means into an artery to within a short distance from a body site to be treated and at a branch or branches (preferably the most immediate) to a network of arteries carrying blood to the site. The carrier is injected through the delivery means into the blood vessel. Just prior to injection, a magnetic field is established exterior to the body and adjacent to the site with sufficient field strength to guide a substantial quantity of the injected carrier to, and retain the substantial quantity of the carrier at, the site. Preferably, the magnetic field is of sufficient strength to draw the carrier into the soft tissue at the site adjacent to the network of vessels, thus avoiding substantial embolization of any of the larger

vessels by the carrier particles. See, for example, U.S. Provisional Application Ser. No. 60/160,293, which is incorporated herein by reference.

5 It is therefore an object of this invention to provide a highly magnetically responsive composition for optionally carrying biologically active substances and methods of production and use thereof.

It is another object of this invention to provide a magnetically responsive carrier for biologically active substances that has high magnetic responsiveness, yet is durable during storage and use.

10 It is another object of this invention to provide a magnetically responsive composition comprising particles approximately 0.1 to 10.0 μm in diameter, each iron-ceramic particle containing 1.0% to 95.0% ceramic (or a ceramic derivative) and 5.0% to 99.0% iron, by mass.

15 It is still another object of this invention to provide a composition utilized for localized *in vivo* diagnosis or treatment of disease including a carrier with composite iron-ceramic particles approximately 0.1 to 10.0 μm in diameter, each iron-ceramic particle containing 1.0% to 95.0% ceramic (or a ceramic derivative) and 5.0% to 99.0% iron, by mass, and having adsorbed thereon one or more optional biologically active substances selected for efficacy in diagnosing and/or treating a particular disease.

20 With these and other objects in view, which will become apparent to one skilled in the art from the following description, this invention resides in the novel construction, combination, arrangement of parts and methods substantially as hereinafter described, and more particularly defined by the appended claims, it being understood that changes in the precise embodiment of the herein disclosed invention are meant to be included as they come within the scope of the claims.

BRIEF DESCRIPTION OF THE DRAWINGS

FIG. 1 is a magnified photograph (X1000) of composite iron-silica particles.

FIG. 2 is a magnified photograph (X3000) of composite iron-silica particles.

FIG. 3 is a flow diagram of the production process of this invention.

FIG. 4 is a Doxorubicin binding curve for an iron-silica gel composite.

FIG. 5 is Doxorubicin binding curve for an iron-C18 composite.

FIG. 6 is a Scanning Electron Microscopy photograph showing the morphology of iron-hydroxyapatite particles.

FIG. 7 is the same frame as in FIG. 6, with monitoring of backscatter to show iron in white and hydroxyapatite in black.

FIG. 8 is the spectra of the particle shown in FIG. 6 confirming that the white spots are composed of iron.

FIG. 9 is the spectra of the particle shown in FIG. 6 confirming that the black spots are composed of hydroxyapatite.

FIG. 10 is particle size analysis of hydroxyapatite particles using light scattering technique.

FIG. 11 is a magnetic susceptibility curve of an iron-hydroxyapatite microparticle using magnetometer technique.

FIG. 12 is a Langmuir isotherm plot for iron-hydroxyapatite.

FIG. 13 is a Langmuir isotherm plot for hydroxyapatite (no iron).

FIG. 14 is a doxorubicin desorption profile for iron-hydroxyapatite.

FIG. 15 shows labeling of iron-hydroxyapatite particles with Indium 111 by direct incubation and stability in different media.

FIG. 16 shows labeling of iron-hydroxyapatite particles with Indium 111/oxyquinoline and stability in different media.

DETAILS OF THE INVENTION

The invention is a composite particle comprised of 1.0% to 95.0% a ceramic (or ceramic derivative) and 5.0% to 99.0% iron, by mass. With compositions having less than 1.0% ceramic, the binding capacity of a particle is decreased to the point of being largely ineffective for carrying biologically active substances. With compositions of greater than 95.0% ceramic, the magnetic susceptibility is generally reduced beyond an effective level for targeting biologically active substances *in vivo*. The particles are disk and spherically shaped, approximately 0.1 to 10.0 μm in diameter.

The term "ceramic" means a natural or synthetic porous, adsorptive material. It is usually, but not necessarily an oxide or mixed oxide, wherein the oxide is metallic or non-metallic. It is usually, but not necessarily inorganic. It is usually, but not necessarily without a crystalline structure. Examples of synthetic ceramic materials include, but are not limited to tricalcium phosphate, hydroxyapatite, aluminum hydroxide, aluminum oxide, aluminum calcium phosphate, dicalcium phosphate dihydrate, tetracalcium phosphate, macroporous triphasic calcium phosphate, calcium carbonates, hematite, bone meal, apatite wollastonite glass ceramics and other ceramic or glass matrices. Also included are polymers that have a degree of crystallinity that will support pores and adsorption. Examples of such polymers include, but are not limited to polyethylenes, polypropylenes, and polystyrenes. Appropriate materials based upon these parameters will be apparant to any person having ordinary skill in the art. A table of examples follows.

	Oxide	Non-metallic	Amorphous
Silica	Y	Y	Y
Hydroxyapatite	Y	N	Y
Zeolites	Y	N	N
Aluminas	Y	N	Y
Diamond	N	Y	N

Also included in the definition of "ceramic" are silica and silica derivatives (including, but not limited to octadecycl silane [C_{18}], octyl silane [C_8], hexyl silane [C_6], phenyl silane [C_6], butyl silane [C_4], aminopropylsilane [NH_3C_3], cyano nitrile silane [CN], trimethylsilane [C_1], sulfoxyl propyl silane [SO_4C_3], dimethylsilane [C_1], acidic cation-

exchange coating [SCX], basic quaternary ammonium anion exchange coating [SAX], dihydroxypropyl silane [diol]), into a composite particle 0.1 - 10.0 μm in diameter. By way of example, the following silicas are useful for forming the composites of the invention.

Eka Nobel Kromasil®

Packing Material	Particle Shape & Size (μm)	Pore Size (Å)	Pore Volume (ml/g)	Surface Area (m^2/g)	Carbon Load (%)	Phase Type	Bonded Phase Coverage ($\mu\text{mol}/\text{m}^2$)	End Cap
Kromasil Silica	S,5,7,10, 13,16	100	0.9	340	-	(elemental analysis)		
Kromasil C1	S,5,7,10, 13,16	100	0.9	340	4.7	Monomeric	4.3	-
Kromasil C4	S,5,7,10, 13,16	100	0.9	340	8	Monomeric	3.7	Yes
Kromasil C8	S,5,7,10, 13,16	100	0.9	340	12	Monomeric	3.6	Yes
Kromasil C18	S,5,7,10, 13,16	100	0.9	340	19	Monomeric	3.2	Yes

EM Science

Packing Material	Particle Shape & Size (μm)	Pore Size (\AA)	Pore Volume (ml/g)	Surface Area (m^2/g)	Carbon Load (%)	Phase Type	Bonded Phase Coverage ($\mu\text{mol}/\text{m}^2$)	End Cap
Lichrosorb Si 60	I, 5, 10	60	-	550	0	-	-	No
Lichrosorb Si 100	I, 5, 10	100	-	420	0	-	-	No
Lichrosorb RP-18	I, 5, 10	60	-	150	16.0	Monomeric	1.55	No
Lichrosorb RP-8	I, 5, 10	60	-	-	9.0	Monomeric	0.78	No
Lichrosorb RP-select B	I, 5, 10	60	0.7	550	12	-	2.5	Yes
Lichrospher Si 60	S, 3, 5, 10	60	0.95	650	0	-	0	No
Lichrospher Si 100	S, 5, 10	100	1.25	420	0	-	0	No
Lichrospher RP-8	S, 3, 5, 10	60/100	1.25	350	12.5	-	4.1	No
Lichrospher RP-8 E/C	S, 3, 5, 10	60/100	1.25	350	13	-	4.2	Yes
Lichrospher RP-18	S, 3, 5, 10	100	1.25	350	21.4	-	3.9	No
Lichrospher RP-18 E/C	S, 3, 5, 10	100	1.25	350	21.5	-	-	Yes
Lichrospher CN	S, 3, 5, 10	100	1.25	350	-	-	-	-
Lichrospher NH ₂	S, 3, 5, 10	100	1.25	350	4.5	-	3.8	-
Lichrospher Diol	S, 3, 5, 10	100	1.25	350	8.3	-	4.0	-
Lichrospher RP-select B	S, 3, 5, 10	60	0.9	360	12.0	-	3.2	Yes

Packing Material	Particle Shape & Size (μm)	Pore Size (Å)	Pore Volume (ml/g)	Surface Area (m ² /g)	Carbon Load (%)	Phase Type	Bonded Phase Coverage (μmol/m ²)	End Cap
Inertsil Silica	S, 5	150	-	320	0	-	-	No
Inertsil ODS-2	S, 5	150	-	320	18.5	Monomeric	3.23	Yes
Inertsil ODS-3	S, 3, 5	100	-	450	15	Monomeric	-	-
Inertsil C8	S, 5	150	-	320	10.5	Monomeric	3.27	Yes
Inertsil C8-3	S, 5	100	-	450	10	Monomeric	-	Yes
Inertsil Ph (Phenyl)	S, 5	150	-	320	10	Monomeric	2.77	Yes
Inertsil Ph-3 (Phenyl)	S, 5	100	-	450	10	Monomeric	-	Yes
Inertsil C4	S, 5	150	-	320	7.5	Monomeric	3.77	Yes
Inertsil 80Å	S, 5	80	-	450	16	Monomeric	-	Yes
Inertsil Prep ODS, C8, Si	S, 10	100	-	350	14	-	-	-

Vydac/The Separations Group

Packing Material	Particle Shape & Size (μm)	Pore Size (Å)	Pore Volume (ml/g)	Surface Area (m ² /g)	Carbon Load (%)	Phase Type	Bonded Phase Coverage (μmol/m ²)	End Cap
Vydac 201TP C18	SD, 5, 10	300	0.6	90	8	Polymeric	4.16	Yes
Vydac 218TP C18	SD, 5, 10	300	0.6	90	8	Polymeric	4.16	Yes
Vydac 214TP C4	SD, 5, 10	300	0.6	90	3	Polymeric	4.89	Yes
Vydac 201HS C18	S, 5, 10	80	0.8	450	13.5	-	1.53	-

Waters

Packing Material	Particle Shape & Size (μm)	Pore Size (Å)	Pore Volume (ml/g)	Surface Area (m ² /g)	Carbon Load (%)	Phase Type	Bonded Phase Coverage (μmol/m ²)	End Cap
μBondapak C18	I, 10	125	1.0	330	10	Monomeric	1.46	Yes
μBondapak Phenyl	I, 10	125	1.0	330	8	-	2.08	Yes
μBondapak NH ₂	I, 10	125	1.0	330	3.5	-	1.91	No
μBondapak CN	I, 10	125	1.0	330	6	-	2.86	Yes
μPorasil Silica	I, 10	125	1.0	330	-	-	-	No
Novapak C18	S, 4	60	0.3	120	7	-	3.41	Yes
Novapak Phenyl	S, 4	60	0.3	120	5	-	2.34	Yes
Novapak CN	S, 4	60	0.3	120	2	-	1.65	Yes
Novapak Silica	S, 4	60	0.3	120	0	-	0	No
Resolve C18	S, 5, 10	90	0.5	175	10	-	2.76	No
Resolve C8	S, 5, 10	90	0.5	175	5	-	2.58	No
Resolve CN	S, 5, 10	90	0.5	175	3	-	2.53	No
Resolve Silica	S, 5, 10	90	0.5	175	0	-	0	No
Spherisorb Silica	S, 3, 5, 10	80	0.5	220	0	-	0	No
Spherisorb ODS-1	S, 3, 5, 10	80	0.5	220	7	Monomeric	1.47	Partial

Packing Material	Particle Shape & Size (μm)	Pore Size (Å)	Pore Volume (ml/g)	Surface Area (m ² /g)	Carbon Load (%)	Phase Type	Bonded Phase Coverage (μmol/m ²)	End Cap
Spherisorb ODS-2	S, 3, 5, 10	80	0.5	220	12	Monomeric	2.72	Yes
Spherisorb C8	S, 3, 5, 10	80	0.5	220	6	Monomeric	2.51	Yes
Spherisorb C6	S, 3, 5, 10	80	0.5	220	6	Monomeric	2.27	Yes
Spherisorb Phenyl	S, 3, 5, 10	80	0.5	220	3	Monomeric	1.08	Partial
Spherisorb CN	S, 3, 5, 10	80	0.5	220	3.5	Monomeric	2.37	No
Spherisorb NH2	S, 3, 5, 10	80	0.5	220	2	Monomeric	1.58	No
Spherisorb SAX	S, 5, 10	80	0.5	220	-	-	-	No
Spherisorb SCX	S, 5, 10	80	0.5	220	-	-	-	-
Symmetry	S	100	-	340	19	-	3.09	Yes

YMC

Packing Material	Particle Shape & Size (μm)	Pore Size (\AA)	Pore Volume (ml/g)	Surface Area (m^2/g)	Carbon Load (%)	Phase Type	Bonded Phase Coverage ($\mu\text{mol}/\text{m}^2$)	End Cap
C18-A	S, 3,5,7,10,15 +	120	1.0	~300	17	Monomeric	-	Yes
C18-AM	S, 3,5,7,10,15 +	120	1.0	~300	17	Monomeric	-	Yes
ODS-AQ	S, 3,5,7,10,15 +	120	1.0	~300	16	Monomeric	-	Yes
C8	S, 3,5,7,10,15 +	120	1.0	~300	10	Monomeric	-	Yes
Phenyl	S, 3,5,7,10,15 +	120	1.0	~300	9	Monomeric	-	Yes
C4	S, 3,5,7,10,15 +	120	1.0	~300	7	Monomeric	-	Yes
Basic	S, 3,5,7,10,15 +	-	-	-	-	Monomeric	-	Yes

Note: Bonded phase coverage calculated as per Sander, L.C., and Wise, S.A., *Anal. Chem.*, 56: 504-510, 1984. Material characteristics obtained from literature published by the material manufacturer or an authorized representative thereof.

The powders are mixed in a planetary ball, or attrition mill in the presence of a liquid, for example, ethanol, to inhibit oxidation of the iron. The liquid may also serve as a lubricant during the milling of the iron and ceramic powder, to produce the appropriate particle size distribution. It also may reduce compacting of the ceramic during processing. As a result, the porosity of the ceramic deposits in the composition is maintained so as to maximize adsorption capacity of the particles.

The mixture is put into a standard laboratory planetary ball, or attrition mill of the type used in powder metallurgy. The mill holds canisters containing the iron and ceramic powders, ethanol, and metal or metal alloy balls of various diameters. For example, the mill can have 6 mm diameter balls composed of case hardened metal carbide. An appropriate amount of a liquid (e.g., ethanol), is added for lubrication. Depending on the type used, the mill is run between 2 and 14 hours at speeds of 100 rpm to 1000 rpm. It is believed that mill speeds over 1000 rpm could create an undesirable quantity of overly small particles. Appropriate liquids and milling conditions are easily determined by any person having ordinary skill in the art.

After joint deformation of the iron-ceramic mixture, the particles are removed from the mill and separated from the grinding balls, for example, by a strainer. The particles may be re-suspended in ethanol and homogenized to separate the particles from one another. The ethanol is removed, for example, by rotary evaporation, followed by vacuum drying. Any suitable drying technique may be employed, for example, in a vacuum oven (purging N_2). Particles should be handled so as to protect against oxidation of the iron, for example, in a nitrogen environment.

The resulting dried powder may then be sieved or magnetically separated to obtain the desired fraction of product providing the desired magnetic susceptibility and therapeutic or diagnostic binding capacity. The product is then packaged into dosage units in a nitrogen-purged glove box and terminally sterilized. Any suitable sterilization technique may be employed. For example, the iron-ceramic particles may be sterilized using gamma irradiation and the aqueous solution of excipients may be sterilized by autoclave.

When ready for use, the biologically active agent or agents are adsorbed to or precipitated onto the composite. The composite, with the active agent adsorbed, is administered to the patient in a suspension of the composite in a sterile diluent.

The iron-ceramic particles are useful as a carrier for delivering one or more adsorbed biologically active substances to specific body sites under control of an external magnetic field. As used herein, the term "biologically active substance" includes substances useful for *in vivo* medical diagnosis and/or treatment.

5 Biologically active substances include, but are not limited to, antineoplastics, blood products, biological response modifiers, anti-fungals, antibiotics, hormones, vitamins, proteins, peptides, enzymes, dyes, anti-allergics, anti-coagulants, circulatory agents, metabolic potentiators, antituberculars, antivirals, antianginals, anti-inflammatories, antiprotozoans, antirheumatics, narcotics, opiates, diagnostic imaging agents, cardiac
10 glycosides, neuromuscular blockers, sedatives, anesthetics, as well as paramagnetic and radioactive particles. Other biologically active substances may include, but are not limited to, monoclonal or other antibodies, natural or synthetic genetic material and prodrugs.

As used herein, the term "genetic material" refers generally to nucleotides and polynucleotides, including nucleic acids, RNA and DNA of either natural or synthetic origin,
15 including recombinant, sense and antisense RNA and DNA. Types of genetic material may include, for example, genes carried on expression vectors, such as plasmids, phagemids, cosmids, yeast artificial chromosomes, and defective (helper) viruses, antisense nucleic acids, both single and double stranded RNA and DNA and analogs thereof. Also included are proteins, peptides and other molecules formed by the expression of genetic material.

20 For *in vivo* diagnostic imaging, the type of detection instrument available is a major factor in selecting a given radioisotope. The radioisotope chosen must have a type of decay that is detectable for a given type of instrument. Generally, gamma radiation is required. Still another important factor in selecting a radioisotope is that the half-life be long enough so that it is still detectable at the time of maximum uptake by the target, but short enough so
25 that deleterious radiation with respect to the host is minimized. Selection of an appropriate radioisotope would be readily apparent to one having average skill in the art. Radioisotopes which may be employed include, but are not limited to ^{99m}Tc , ^{142}Pr , ^{161}Tb , ^{186}Re , and ^{188}Re . Additionally, typical examples of other diagnostically useful compounds are metallic ions including, but not limited to ^{111}In , ^{97}Ru , ^{67}Ga , ^{68}Ga , ^{72}As , ^{89}Zr , and ^{201}Tl . Furthermore,
30 paramagnetic elements that are particularly useful in magnetic resonance imaging and electron spin resonance techniques include, but are not limited to ^{157}Gd , ^{55}Mn , ^{162}Dy , ^{52}Cr , and ^{56}Fe .

It is also noted that radioisotopes are also useful in radiation therapy techniques. Generally, alpha and beta radiation is considered useful for therapy. Examples of therapeutic compounds include, but are not limited to ^{32}P , ^{186}Re , ^{188}Re , ^{123}I , ^{125}I , ^{90}Y , ^{166}Ho , ^{153}Sm , ^{142}Pr , ^{143}Pr , ^{149}Tb , ^{161}Tb , ^{111}In , ^{77}Br , ^{212}Bi , ^{213}Bi , ^{223}Ra , ^{210}Po , ^{195}Pt , $^{195\text{m}}\text{Pt}$, ^{255}Fm , ^{165}Dy , ^{109}Pd , ^{121}Sn , ^{127}Te , and ^{211}At . The radioisotope generally exists as a radical within a salt, however some tumors and the thyroid may take up iodine directly. The useful diagnostic and therapeutic radioisotopes may be used alone or in combination.

The iron-ceramic composite particle surpasses previous inventions by utilizing metallic iron that has a higher magnetic susceptibility than iron oxides that facilitates and expedites mobility to the treatment site. Advantages over current iron-carbon composite products include surface binding versatility, as well as biocompatibility and biodegradation properties of ceramics that are relatively well known.

As a general principle, the amount of any aqueous soluble biologically active substance adsorbed can be increased by increasing the proportion of ceramic in the particles up to a maximum of about 50% by mass of the composite particles without loss of utility of the particles in the therapeutic treatment regimens described in this application. In many cases it has been observed that an increase in the amount of adsorbed biologically active substance is approximately linear with the increase in ceramic content. However, as ceramic content increases, the susceptibility, or responsiveness, of composite particles to a magnetic field decreases, and thus conditions for their control in the body worsen (although adsorption capacity increases). Therefore, it is necessary to achieve a balance in the iron:ceramic ratio to obtain improved therapeutic or diagnostic results. To increase the amount of agent given during a treatment regimen, a larger dose of particles can be administered to the patient, but the particles cannot be made more magnetic by increasing the dose. Appropriate ratios may be determined by any person having average skill in the art.

It has been determined that the useful range of iron:ceramic ratio for particles intended for use in *in vivo* therapeutic treatments as described in the application is, as a general rule, from about 99:1 to about 5:95 for example about 80:20 to about 60:40. The maximum amount of the biologically active substance that can be adsorbed in the composite iron:ceramic carrier particles of any given concentration of ceramic will also differ depending upon the chemical nature of the biologically active substance, and, in some cases,

the type of ceramic used in the composition. Any person having ordinary skill in the art will be able to determine the proper ratio for the desired application.

Because it is convenient to prepare and market the carrier particles in a dry form, the excipients may be prepared in dry form, and one or more dry excipients are packaged together with a unit dose of the carrier particles. A wide variety of excipients may be used, for example, to enhance adsorption or desorption, or to increase solubility. The type and amount of appropriate dry excipients will be determined by one of skill in the art depending upon the chemical properties of the biologically active substance. Most preferably, the package or kit containing both the dry excipients and dry carrier particles is formulated to be mixed with the contents of a vial containing a unit dose of the drug and sufficient amount of a biologically compatible aqueous solution, such as saline, as recommended by the drug manufacturer, to bring the drug to a pharmaceutically desirable concentration. Upon mixture of the solution containing the dilute drug with the contents of the kit including the dry components (*i.e.*, the dry carrier particles and dry excipients), the drug is allowed to adsorb to the carrier particles, forming a magnetically controllable composition containing a therapeutic amount of the biologically active substance adsorbed to the carrier particles that is suitable for *in vivo* therapeutic or diagnostic use.

Alternatively, a liquid kit may be employed. Here, the carrier particles are contained as one unit, for example, in a vial, while the aforementioned excipients are contained in another unit in the form of an aqueous solution. At the time of administration, the ferroceramic particles are mixed with the contents of a vial containing a unit dose of the drug and sufficient amount of a biologically compatible aqueous solution, such as saline, as recommended by the drug manufacturer, to bring the drug to a pharmaceutically desirable concentration. Subsequently, the resulting particles having the biologically active substance adsorbed thereon, are mixed with yet another unit containing the excipients in aqueous solution. Any suitable sterilization technique may be employed. For example, the ferroceramic particles may be sterilized using gamma irradiation and the aqueous solution of excipients may be sterilized by autoclave. Use of autoclave undesirably oxidizes the ferroceramic particles.

Also, when the biologically active agent to be adsorbed to or deposited onto the microparticles is soluble in an aqueous medium, the buffer used can have an impact on the

overall binding. Any person having ordinary skill in the art would be able to determine the most appropriate buffer.

A diagnostic or therapeutic amount of biologically active substance adsorbed to the carrier particles will be determined by one skilled in the art as that amount necessary to effect diagnosis or treatment of a particular disease or condition, taking into account a variety of factors such as the patient's weight, age, and general health, the diagnostic or therapeutic properties of the drug, and the nature and severity of the disease.

A number of considerations are involved in determining the size of carrier particles to be used for any specific therapeutic situation. The choice of particle size is determined in part by technological constraints inherent in producing the particles under $0.2\ \mu\text{m}$ in size. In addition, for particles less than about $1.0\ \mu\text{m}$ in size, the magnetic control in blood flow and the carrying capacity is reduced. Relatively large particle sizes can tend to cause desirable or undesirable embolization of blood vessels during injection either mechanically or by facilitating clot formation by physiological mechanisms. The dispersion may coagulate, which makes injections more difficult, and the rate at which biologically active substances desorb from the particles in the targeted pathological zones may decrease. The method (such as is described below) of milling together a mixture of iron and ceramic powders produces an irregularly shaped form with a granular surface for the particles, and results in a particle population having an average major dimension of about $0.1\ \mu\text{m}$ to about $5.0\ \mu\text{m}$.

Because the iron in the particles described in this invention is not in the form of an iron oxide, as is the case in certain previously disclosed magnetically controlled dispersions, the magnetic susceptibility, or responsiveness, of ferroc ceramic particles is maintained at a high level.

The iron:ceramic particles are characterized by particles of iron and particles of ceramics bound together. The two components are maintained as individual entities. The characteristic substructure of the particles formed during the process of joint deformation of the mechanical mixture of iron and ceramic powders, also increases the magnetic susceptibility of iron inclusions in ferroc ceramic particles as compared with iron particles having other types of substructure.

Because of the large surface of ceramic deposits in the particles, the adsorbed biologically active substance can comprise about $100\% \pm 50\%$ by weight, relative to the ceramic fraction of the particle, that being variable from about 5% to 95% of the initial

particle mass, and most preferably from 15% to 60%. In different terms, this can be up to about 200 mg of adsorbed biologically active substance per gram of particles. Therefore, in use, much less of the carrier is injected to achieve a given dose of the biologically active substance or, alternatively, a higher dosage of the biologically active substance per injection is obtained than is the case with some previously known carriers.

The following describes a method for producing small quantities of the ferroceramic composition of this invention, it being understood that other means and mechanisms besides milling could be conceived of for jointly deforming iron and ceramic powders, which comprise the essential starting elements for production of the carrier. The procedure utilized exerts mechanical pressure on a mixture of ceramic and iron particles to deform the iron particles and develop a substantial substructure, which captures the ceramic. The formation of the ferroceramic particles is accomplished without the addition of heat in the process (although the mixture heats up during the mechanical deformation step), and is conducted in the presence of a liquid, for example ethanol, to inhibit oxidation of the iron and to assure that the particles produced are clean (sterile). The liquid may also serve as a lubricant during the milling of the iron and ceramic powder, and may reduce compacting of ceramic during processing. As a result, the density of the ceramic deposits in the composition is maintained so as to maximize adsorption capacity of the particles.

As the joint deformation of the particles and ceramics continues, there develops at the interface of the two solids a third phase comprised of a molecular mixture of iron and ceramic. This interface stabilizes the particle such that it is durable to sterilization and *in vivo* use. This interface is expected to form with other types of ferro particles, such as ferrocenone, as molecular mixtures of iron and carbon exist in nature or can be formed by smelting, for example, cementite and steel. Ferroceramic mixtures are not commonly known or manufactured such that a molecular mixture may be found at the interface of the two substances.

For example, to produce particles having an average of about 75:25 iron:ceramic ratio by mass, one part of substantially pure iron particles having average diameters from 0.1 μm to 5 μm in size are mixed with about 0.1 to 1.0 parts by weight of substantially pure ceramic granules (typically about 0.1 μm to 5.0 μm in diameter). The iron particles and ceramic granules are mixed vigorously to achieve good distribution throughout the volume. Each biologically active substance should be evaluated individually with the various types of

ceramics in order to determine the optimum reversible ceramic binding. Factors such as pH, temperature, particulate size, salts, solution viscosity and other potentially competing chemicals in solution can influence adsorption capacity, rate, and desorption parameters.

The mixture is put into a standard laboratory planetary ball, or attrition mill of the type used in powder metallurgy. For example, the mill can have 6 mm diameter balls. An appropriate amount of a liquid, for example ethanol, is added for lubrication. The mixture is milled for between 1 and 12 hours, or for the time necessary to produce the particles heretofore described. Depending on the mill used, the speed of the mill may be anywhere in the range from about 100 rpm to about 1000 rpm (typically about 300 rpm).

After joint deformation of the iron:ceramic mixture, the particles are removed from the mill and separated from the grinding balls, for example, by a strainer. The particles may be resuspended in ethanol and homogenized to separate the particles from each other. The ethanol is removed, for example, by rotary evaporation, followed by vacuum drying. Any suitable drying technique may be employed. Particles should be handled so as to protect against oxidation of the iron, for example, in a nitrogen environment.


After drying, the particles should be collected according to appropriate size. For example, the particles may be passed through a 20 μ m sieve and collected in an air cyclone to remove particles larger than 20 μ m. The cyclone only collects particles of a certain size and density, providing a method for removing fines and loose ceramic. The sieved particles may be packaged under nitrogen and stored at room temperature.

Particles may be subaliquoted into dosage units, for example, between 50 and 500 mg per dose, and may be further overlaid with nitrogen, for example. Dosage units may be sealed, for example, with butyl rubber stoppers and aluminum crimps. Dosage units may then be sterilized by appropriate sterilization techniques, for example, gamma irradiation between 2.5 and 4.0 Mrads. Other sterilization techniques may also be used, for example, dry heat and electrobeam sterilization.

When ready for use, or before packaging if the carrier is to be prepared with a preselected biologically active substance already adsorbed thereon, about 50 mg to 150 mg (about 75 mg to about 100 mg is preferred to be absolutely assured of maximum adsorption) of the biologically active substance in solution is added to 1 gram of the carrier. When ready for application to a patient, the combination is placed into suspension (for example, in 5 to 10 ml) of a biologically compatible liquid such as water or saline utilizing normal procedures.


Example 1

A composite particle composed of silica gel and iron was manufactured and preliminary characterization was performed. Characterization included particle sizing analysis (light scattering technique), surface area, pore size analysis, scanning electron microscopy and doxorubicin binding. Tests show that 95% of the final product has particles that are less than 1.11 μm and have a mean (volume) diameter of 0.92 μm . Results from surface area analysis show the iron-silica gel composite to have a total surface area of 48 m^2/g and a total pore volume of 0.19 cc/g . SEM pictures reveal discrete particles made of both iron and silica gel components (Figures 1 and 2). Preliminary doxorubicin binding assays (Figure 4) show correlation between the concentration of bound (Q) and unbound (C) doxorubicin.



Example 2

A composite particle composed of silica-C18 and iron was manufactured and preliminary characterization was performed. Characterization included particle sizing analysis (light scattering technique) and doxorubicin binding. Tests show that 95% of the final product has particles that are less than 1.60 μm and have a mean (volume) diameter of 1.58 μm . Preliminary doxorubicin binding assays (Figure 5) show a linear correlation between the concentration of bound (Q) and unbound (C) doxorubicin.



Example 3

In order to bind a biologically active substance for targeted delivery, initially, the structure of the agent would be evaluated. Paclitaxel, for example, contains three -OH groups and three benzene rings. Using the information contained in Table 1, binding would be attempted using those derivatives for benzene rings and -OH groups. First-line silica derivatives would include bare silica, C8 and C18. Second-line derivatives would include phenyl, C1, C2, C4 and C6. Additional silica derivatives would be tested based on the results from experiments. The derivatives should be easily determinable by any person having ordinary skill in the art. Neoplastic agents may be especially useful with the particles of the invention. Examples of other useful neoplastic agents are exemplified in Table 2.

Table 1: Examples of Functional Characteristics of Agents and Silica Derivatives

Functional Characteristics	Potential Silica Derivatives for Binding
-OH groups	Bare silica
Open chain structure	Bare silica
Benzene rings	C8, C18
Long alkanes	C8, C18
Positive charge	Cation exchange (i.e. sulfoxyl (SO ₄), carboxyl, SCX)
Negative charge	Anion exchange (i.e. Quaternary (SAX), diethylaminoethyl)
Mixture of rings and -OH groups	Phenyl, C1, C2, C4, C6


Table 2: Agents Useful in Neoplastic Disease

Agent	Agent Name	Trade Name	Abbr.	
ALKYLATING AGENTS	NITROGEN MUSTARDS	Machlorathamine	Mustargen, nitrogen mustard HN ₂	
		Cyclophosphamide	Cytoxan, Endoxan	CTX
		Ifosfamide	Ifex	IFS
		Phenylalanine mustard	Melphalan, Alkeran	L-PAM
		Chlorambucil	Lukeran	CLR
	ETHYLENIMINE DERIVATIVES	Triethylenethiophosphoramide	Thiotepa	T-TEPA
ALKYL SULFINATES	Busulfan	Myleran	MYL	
NITROSOUREAS	Cyclohexyl-choioretlyl nitrosourea	Lomustine, CEENU	CCNU	
	1, 3 bis-[2-chloroethyl]-nitrosourea	Carmustine, BiCNU	BCNU	
	Streptozotocin	Zanosar	STZC	
	Semustine			
TRIAZENES	Dimethyl triazeno imidazole carboxamide	Dacarbazine	DTIC	
ANTIMETABOLITES	FOLIC ACID ANALOGS	Methotraxate	Amethopterin	MTX
	PYRIMIDINE ANALOGS	5-fluoro-2-deoxyuridine	Floxuridine	FUDR
		5-fluorouracil	Cytarabine, Cytosar	5-FU ARA-C
		Cytosine arabinoside		
PURINE ANALOGS	6-Mercaptopurine	Purinethol	6-MP	
	6-Thioguanine	Thioguanine	6-TG	
	Deoxycoformycin	Pentostatin	VM-26	
NATURAL OR SEMI-SYNTHETIC PRODUCTS	VINCA ALKALOID	Vinblastine Vincristine	Velban Oncovin	VLB VCR
	ANTIBIOTICS	Doxorubicin	Adriamycin	ADR
		Mitoxantrone	Novantrone	NDV
		Baunorubicin	Daunomycin	DNR
		Bleomycin	Blenoxane	BLEO
	Dactinomycin	Actinomycin D, Cosmegen	---	
	Mithramycin	Mithracin	---	
	Mitomycin C	Mutamycin	MITO-C, MMC	
TAXANES	Paclitaxel	Taxol	TXL	
ENZYMES	L-asparaginase	Elspar	L-ASP	
EPIPODOPHYLOTOXINS	Etoposide	Vepesid	VP-16	
	Teniposide	Vumon	VM-26	
MISCELLANEOUS	PLATINUM COORDINATION COMPLEXES	Cis-diamminedichloro-platinum II	Cisplatin, Platinol	CDDP
		Carboulatin	Paraplatin	CBP
	SUBSTITUTED UREA	Hydroxyurea	Hydrea	HXU
	METHYLHYDRAZINE DERIVATIVE	Procabazine	Matulane	PROC
ACRIDINE DERIVATIVE	Amsacrine	Emcyf Amsidyl	m-AM	

Agent	Agent Name	Trade Name	Abbr.
HORMONES AND HORMONE INHIBITORS	ESTROGENS	Diethylstilbestrol Conjugated Estrogens Ethinyl Estradiol	Premarin Estinyl DES
	ANDROGENS	Testosterone propionate Fluoxymesterone	--- Halotestin, Ora- Testryl, Utandran TES
	PROGESTINS	17-Hydroxyprogesterone caproate Medroxyprogesterone acetate Meeestrol acetate	Delalutin Provera Meeace
	LEUPROLIDE	Goserelin acetate	Lupron Zoladex
	ADRENOCORTICOSTEROIDS	Prednisone	
	ANTIESTROGENS	Tamoxifen	Nolvadex
	HORMONE SYNTHESIS INHIBITORS	Aminoglutethimide	Elipten, Cytadren
	ANTIANDROGENS	Flutamide	Eulexin


Example 4

The adsorption capacities of hydroxyapatite particles and the iron-hydroxyapatite composite particles were determined by a doxorubicin binding assay. The Langmuir adsorption isotherms were determined from doxorubicin binding data at several concentrations and the total drug loading capacities were calculated from the inverse of the slope of the isotherms. Figure 12 shows the isotherm for the iron-hydroxyapatite composite particles, which had a total capacity of 33 micrograms doxorubicin per milligram particles. Figure 13 shows the isotherm for the hydroxyapatite alone, which has a binding capacity of 53 micrograms doxorubicin per milligram particles. The difference in the drug binding capacity between the hydroxyapatite and the iron-hydroxyapatite composite material is due to the difference in compositions of these samples: the composite material of this example has ~ 25% per weight of hydroxyapatite.



Example 5


Iron-hydroxyapatite composite particles were loaded with doxorubicin by soaking the particles in a concentrated aqueous solution of the drug. The desorption profile was determined in a semi-dynamic assay by measuring the amount of doxorubicin released from the particles incubated in aliquots of human plasma at 37°C. Figure 14 shows that the drug is effectively released from the microparticles as a function of time.



BEST AVAILABLE COPY

Example 6


Iron-hydroxyapatite micro particles were incubated with Indium-111 in PBS for 30min at 37° C and 1400rpm. The labeling efficiency was determined by comparing the amount of radioactivity in the incubation with the bound radioactivity after two washes with PBS. The inset in Figure 15 shows the resulting labeling efficiencies, which were approximately 60% after the second wash. The stability of the labeled particles was tested in both PBS and human plasma at 37°C. For each time point, the total activity of the sample was compared with the activity in the supernatant. After 12 days, the iron-hydroxyapatite micro particles in PBS retained more than 95% of the Indium-111, and the stability in of the particles in plasma was about 90%. These results demonstrated that the microparticles are easily labeled with Indium cation and that the labeling is very stable in human plasma.



BEST AVAILABLE COPY

Example 7

The previous experiment was repeated using an Indium complex instead of the Indium salt. Indium-111-oxyquinoline complex was used in the incubation step after being prepared by well know methods. The efficiency and stability were determined as described previously and the results are shown in Figure 16. The labeling efficiency increased to over 90% after the second wash. The stability of the Indium-oxyquinoline labeled micro particles is very similar to the direct labeling, with more than 95% of the radioactivity remaining bound after 12 days in PBS and about 90% of the radioactivity still bound after 12 days in plasma. Thus, Indium complex can also be directly labeled in a very stable manner onto the particles.



BEST AVAILABLE COPY

What Is Claimed:

1. A magnetically responsive composition comprising particles including iron and ceramic or a derivative thereof, wherein the ratio of ceramic:iron is in the range from about 1% to 95% ceramic to 5% to 99% iron, and wherein the diameter of each particle is approximately 0.1 to 10.0 μm .
2. The composition of claim 1 wherein the ceramic comprises silica.
3. The composition of claim 2, wherein the silica is a macroporous silica gel, having pores in the range from about 2 \AA to about 500 \AA .
4. The composition of claim 2, wherein the silica is derivatized with octadecylsilane, having pores in the range from about 2 \AA to about 500 \AA .
5. The composition of claim 1 wherein the ceramic is hydroxyapatite.
6. The composition of claim 5 wherein the hydroxyapatite has pores in the range from about 250 \AA to about 1200 \AA .
7. The composition of claim 1 wherein the biologically active agent is a selected from the group consisting of chemotherapeutic agents, radioisotopes, genetic materials, contrast agents, dyes, and derivatives or combinations thereof.
8. A kit for administering a biologically active substance to an *in vivo* site in a patient comprising a unit dose of ferroc ceramic, each particle including a ratio of iron to ceramic in the range from about 99:1 to 5:95.

9. A kit for administering a biologically active substance to an *in vivo* site in a patient comprising a receptacle containing:

- a) unit dose of dry ferroceramic particles, each particle including a ratio of iron to ceramic in the range of about 99:1 to 5:95; and
- b) one or more dry excipients.

10. A kit for administering a biologically active substance to an *in vivo* site in a patient comprising:

- a) a first receptacle comprising a unit dose of ferroceramic particles, each particle including a ratio of iron to ceramic in the range from about 99:1 to 5:95; and
- b) a second receptacle comprising an aqueous solution comprising one or more excipients.

11. The kit of claim 8, 9, or 10, wherein the excipients include a biologically compatible polymer for stabilization after the particles are combined with the aqueous solution.

12. The kit of claim 8, 9, or 10, wherein the excipients include mannitol, sorbitol, sodium carboxy methyl cellulose, polyvinyl pyrrolidone or combinations thereof.

13. The kit of claim 8, 9, or 10, wherein the contents of the kit are combined with a commercially prepared formulation of a biologically active substance.

14. The kit of claim 10 wherein the aqueous solution comprises at least one buffer.

15. The kit of claim 8, 9, or 10, wherein the unit dose of ferroceramic particles has been sterilized by means of gamma irradiation, dry heat or electron beam.

16. The kit of claim 10, wherein the aqueous solution comprising the excipients has been sterilized by means of autoclave.

17. A method of sterilizing a composition comprising iron-silica particles comprising the use of gamma irradiation.

18. A method for localized *in vivo* delivery of a biologically active agent comprising:

- a) adsorbing a biologically active agent onto a magnetically responsive carrier composition comprising iron and ceramic;
- b) injecting the carrier having the adsorbed biologically active agent into a patient; and
- c) establishing a magnetic field exterior to the patient and adjacent to a desired site, wherein the magnetic field is of sufficient strength to guide and retain at the site a portion of the carrier.

19. The method of claim 18 wherein the injecting step is via intra-arterial.

20. The method of claim 18 wherein the desired site is a tumor.

21. The method of claim 18 wherein the biologically active agent is selected from the group consisting of a diagnostic, a therapeutic, a bifunctional and combinations thereof.




Figure 1




Figure 2

BEST AVAILABLE COPY




Figure 3




Figure 4




Figure 5




Figure 6




Figure 7

BEST AVAILABLE COPY

Bright Spots




Figure 8

Dark Spots




Figure 9

BEST AVAILABLE COPY




Figure 10




Figure 11

BEST AVAILABLE COPY




Figure 12




Figure 13




Figure 14




Figure 15

BEST AVAILABLE COPY




Figure 16

BEST AVAILABLE COPY

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
26 April 2001 (26.04.2001)

PCT

(10) International Publication Number
WO 01/28587 A3

(51) International Patent Classification⁷: **A61K 41/00.**
9/50, 47/48

(US). **LI, Yuhua** [CN/US]; 901 Shavano Peak Drive,
Superior, CO 80027 (US).

(21) International Application Number: PCT/US00/28615

(74) Agent: **GARDNER, Diane, L.**; Fish & Richardson P.C.,
Suite 500, 4350 La Jolla Village Drive, San Diego, CA
92122 (US).

(22) International Filing Date: 13 October 2000 (13.10.2000)

(25) Filing Language: English

(81) Designated States (*national*): AE, AG, AL, AM, AT, AU,
AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ,
DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR,
HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR,
LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ,
NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM,
TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.

(26) Publication Language: English

(30) Priority Data:
60/160,293 18 October 1999 (18.10.1999) US

(63) Related by continuation (CON) or continuation-in-part
(CIP) to earlier application:
US 60/160,293 (CIP)
Filed on 18 October 1999 (18.10.1999)

(84) Designated States (*regional*): ARIPO patent (GH, GM,
KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian
patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European
patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE,
IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG,
CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

(71) Applicant (*for all designated States except US*): **FERX
INCORPORATED** [US/US]; Suite 250, 4330 La Jolla Vil-
lage Drive, San Diego, CA 92122 (US).

Published:
— with international search report

(72) Inventors; and

(88) Date of publication of the international search report:
3 January 2002

(75) Inventors/Applicants (*for US only*): **RUDGE, Scott,
Raymond** [US/US]; 656 Furman Way, Boulder, CO
80303 (US). **KURTZ, Terri, Lynn** [US/US]; 2695 Juniper
Avenue, Boulder, CO 80304 (US). **TAPOLSKY, Gilles,
Hugues** [FR/US]; 2460 Vassar Drive, Boulder, CO 80305

*For two-letter codes and other abbreviations, refer to the "Guid-
ance Notes on Codes and Abbreviations" appearing at the begin-
ning of each regular issue of the PCT Gazette.*

(54) Title: **MAGNETIC TARGETED CARRIER**

(57) Abstract: The invention relates to magnetically responsive compositions comprising iron-ceramic particles used to carry sub-
stances for *in vivo* medical diagnosis and/or treatment. The particles are formed by joint deformation of iron and ceramic powders.
Diagnostic or therapeutic substances may be adsorbed thereon. The particles may be produced by mechanical milling of a mixture
of iron and ceramic powders.

WO 01/28587 A3

INTERNATIONAL SEARCH REPORT

International Application No

PCT/US 00/28615

A. CLASSIFICATION OF SUBJECT MATTER

IPC 7 A61K41/00 A61K9/50 A61K47/48

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 7 A61K

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

EPO-Internal, WPI Data, PAJ, CHEM ABS Data, EMBASE, BIOSIS, MEDLINE

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	CA 1 340 151 A (ALFA BIOTECH SPA) 1 December 1998 (1998-12-01) abstract; claim 19 ---	1-21
Y	WO 97 01304 A (MALLINCKRODT MEDICAL INC) 16 January 1997 (1997-01-16) abstract; claim 4 ---	1-21
Y	US 4 243 652 A (FRANCIS MARION D) 6 January 1981 (1981-01-06) claim 4; example 6 --- -/--	1-21



Further documents are listed in the continuation of box C.



Patent family members are listed in annex.

* Special categories of cited documents:

- *A* document defining the general state of the art which is not considered to be of particular relevance
- *E* earlier document but published on or after the international filing date
- *L* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- *O* document referring to an oral disclosure, use, exhibition or other means
- *P* document published prior to the international filing date but later than the priority date claimed

T later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

X document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

Y document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

G document member of the same patent family

Date of the actual completion of the international search

22 August 2001

Date of mailing of the international search report

04/09/2001

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
Fax: (+31-70) 340-3016

Authorized officer

Gonzalez Ramon, N

INTERNATIONAL SEARCH REPORT

International Application No

PCT/US 00/28615

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
P,Y	RUDGE S.R. ET AL: "Preparation, characterization and performance of magnetic iron-carbon composite microparticles for chemotherapy" BIOMATERIALS, vol. 21, 2000, pages 1411-1420, XP002175488 abstract ---	1-21
T	HÄFELI U. ET AL: "Radiolabeling of magnetic particles with rhenium-188 for cancer therapy" JOURNAL OF MAGNETISM AND MAGNETIC MATERIALS, vol. 225, 2001, pages 73-78, XP002175489 abstract ---	1-21
T	GOODWIN S C ET AL: "Single-dose toxicity study of hepatic intra-arterial infusion of doxorubicin coupled to a novel magnetically targeted drug carrier." TOXICOLOGICAL SCIENCES, (2001 MAR) 60 (1) 177-83. , XP001023080 abstract ---	1-21
Y	KANO S. ET AL: "Application of hydroxyapatite-sol as drug carrier" BIO-MEDICAL MATERIALS AND ENGINEERING, vol. 4, no. 4, 1994, pages 283-290, XP001023194 abstract -----	1-21

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/US 00/28615

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
CA 1340151	A	01-12-1998	AT 117829 T	15-02-1995
			DE 68920778 D	09-03-1995
			DE 68920778 T	18-05-1995
			EP 0343934 A	29-11-1989
			ES 2066851 T	16-03-1995
			GR 3015732 T	31-07-1995
			JP 2038318 A	07-02-1990
			JP 2757964 B	25-05-1998
			US 5662824 A	02-09-1997
			US 5039559 A	13-08-1991
WO 9701304	A	16-01-1997	NONE	
US 4243652	A	06-01-1981	CA 1124175 A	25-05-1982
			CH 640739 A	31-01-1984
			GB 2027258 A	13-02-1980
			JP 55015484 A	02-02-1980